



CONFIDENTIAL - Reproduction, publication and dissemination of this publication, enclosures hereto and the information contained therein is prohibited without MAGNETEC's prior written consent.

Client:	MAGNETEC	Magnetec P/N:	MB-020		
Client's p/n:	/	PS Index:	06	PS Revision:	08
Subject:	EMC Component				

1. Mechanical outline	Wiring diagram
 <p>Distance between coils $\geq 3,0$ mm</p>	
	

2. Nominal values			
Core material:	NANOPERM®	High voltage strength:	Up,eff = 2,5 kV
Nominal voltage:	250 Veff AC	Ambient temperature:	-40 ... +50 °C
Nominal inductance:	2 x 33 mH	Max. operating temperature:	°C
Nominal current:	20 A	Storage temperature:	-40 ... +85 °C
Leakage inductances:	ca. 12 µH	Design standard:	EN 60938-1
No. of turns:	N1 = N2 = 18 turns	Wire diameter:	2,0 mm
Comments:			

3. Inspection values (at room temperature, unless otherwise stated)			
Measured value	Measuring limits	Measuring configurations	
Inductivity L1; L2 [mH]	20,0 - 50,0	Ieff = 1 mA	f=10 kHz
Wire resistance Rcu1; Rcu2 [mOhms]	NA - 8,0	RT = 25°C	
HV strength between N1; N2 / Iiso<1mA	OK - NOK	Up,eff = 2,5 kV	t = 2 s
	-		
	-		

4. Others	
Marking:	MAGNETEC MB-020-06 YM (YM = Year/Month), acc. to IEC 60062 6.1.1
Packaging:	6 pcs. per layer, 4 layers per carton box; PU = 24 pcs.
Comments:	Visit http://www.magnetec.de/fileadmin/pdf/pb_ds.pdf for further information.

Index / Rev.	Alteration	Date
05 / 01	Core M-044-03; Base plate 60x2 mm	28.03.2001
06 / 02	Base plate MT-012.01 V1; L1 = L2 = 20,0 - 50,0 mH @ f = 10 kHz	23.01.2003
06 / 03	Soldering material; Effective pin length 3,5 mm	06.02.2003
06 / 04	Effective choke height $\geq 33,5$ mm	05.11.2003
06 / 05	4 cable ties; Hole diameters 2.3 mm	13.07.2004
06 / 06	New format	17.03.2011
06 / 07	Change to paper based packaging	06.10.2016
06 / 08	New Corporate Identity	15.07.2021

Created:	E. Celan	Approved (Techn):	A. Osipov	Approved (Quality):	V. Coceban	Released:	B. Kessler
	15.07.2021		15.07.2021		15.07.2021		03.01.2022

CONFIDENTIAL - Reproduction, publication and dissemination of this publication, enclosures hereto and the information contained therein is prohibited without MAGNETEC's prior written consent. Disclosing the specification to third parties or using its content without written permission from MAGNETEC is strictly forbidden and every offender is liable to pay the corresponding damages.