


CONFIDENTIAL - Reproduction, publication and dissemination of this publication, enclosures hereto and the information contained therein is prohibited without MAGNETEC's prior written consent.

Client:	MAGNETEC	Magnetec P/N:	M-873		
Client's P/N:	/	PS Index:	02	PS Revision:	02
Subject:	EMC Wandler				

1. Mechanical Outline	
Nominal equivalent round core: 300 x 250 x 30 Finished product dimensions: OD \leq 392 (OD1) / 160 (OD2) ID \geq 326 (ID1) / 93 (ID2) H \leq 37 [dimensions] = mm	

2. Core data (nominal values)			
Core material:	NANOPERM®	$L_{Fe} = 87,1 \text{ cm}$	$A_{Fe} = 5,2 \text{ cm}^2$
Permeability level:	2 000	@ frequency 10 kHz	@ H peak 3 mA/cm

3. Inspection values (at room temperature, unless otherwise stated)			
Measured value	Measurement limits	Frequency	$l_{eff} \times N$ [mA x turn]
AL [μH]	1,12 - 2,22	10 kHz	182
AL [μH]	1,12 - NA	100 kHz	182

4. Core finishing	
Type:	Cased
Marking:	MAGNETEC M-873-02 YM (YM = Year/Month), acc. to IEC 60062 6.1.1
Packaging:	1 pcs. per layer; 5 layers per carton box; PU = 5 pcs.

5. Comments
Visit http://www.magnetec.de/fileadmin/pdf/pb_ds.pdf for further information.

Index / Revision	Alteration	Date
02 / 01	First issue	04.05.2017
02 / 02	ID2 change from 94mm to 93mm	13.09.2019

Created:	J. Tótik 13.09.2019	Approved (Techn):	F. Zámbořský 04.10.2019	Approved (Quality):	Sz. Ilcsik 03.10.2019	Released:	B. Kessler 11.10.2019
-----------------	------------------------	--------------------------	----------------------------	----------------------------	--------------------------	------------------	--------------------------

CONFIDENTIAL - Reproduction, publication and dissemination of this publication, enclosures hereto and the information contained therein is prohibited without MAGNETEC's prior written consent. Disclosing the specification to third parties or using its content without written permission from MAGNETEC is strictly forbidden and every offender is liable to pay the corresponding damages.