


CONFIDENTIAL - Reproduction, publication and dissemination of this publication, enclosures hereto and the information contained therein is prohibited without MAGNETEC's prior written consent.

Client:	MAGNETEC	Magnetec P/N:	M-983		
Client's P/N:	/	PS Index:	01	PS Revision:	02
Subject:	EMC Wandler				

1. Mechanical Outline	
Nominal equivalent round core: 80 x 63 x 30 Finished product dimensions: OD \leq 85.0 ID \geq 57.0 H \leq 36.0 [dimensions] = mm	

2. Core data (nominal values)			
Core material:	NANOPERM®	$L_{Fe} = 22,21 \text{ cm}$	$A_{Fe} = 1,90 \text{ cm}^2$
Permeability level:	3 660	@ frequency 10 kHz	@ H peak 3 mA/cm

3. Inspection values (at room temperature, unless otherwise stated)			
Measured value	Measurement limits	Frequency	leff x N [mA x turn]
AL [μH]	3,34 - 4,79	10 and 100 kHz	47

4. Core finishing	
Type:	Cased
Marking:	MAGNETEC M-983-01 YM (YM = Year/Month), acc. to IEC 60062 6.1.1
Packaging:	6 pcs. per layer; 2 layers per carton box; PU = 12 pcs.

5. Comments
Visit http://www.magnetec.de/fileadmin/pdf/pb_ds.pdf for further information.

Index / Revision	Alteration	Date
01 / 01	Product Specification	19.12.2014
01 / 02	Harmonization of part and finished product dimensions	10.01.2020

Created:	Z. Braxátor 10.01.2020	Approved (Techn):	F. Zámbořszky 10.01.2020	Approved (Quality):	G. Zsák 10.01.2020	Released:	B. Kessler 10.01.2020
-----------------	---------------------------	--------------------------	-----------------------------	----------------------------	-----------------------	------------------	--------------------------

CONFIDENTIAL - Reproduction, publication and dissemination of this publication, enclosures hereto and the information contained therein is prohibited without MAGNETEC's prior written consent. Disclosing the specification to third parties or using its content without written permission from MAGNETEC is strictly forbidden and every offender is liable to pay the corresponding damages.