

Product specification for inductive components

CONFIDENTIAL - Reproduction, publication and dissemination of this publication, enclosures hereto and the information contained therein is prohibited without MAGNETEC 's prior written consent.

| Client: | MAGNETEC | Magnetec P/N: | M-1282 | | |
|---------------|-------------|------------------|--------|--------------|----|
| Client's P/N: | / | PS Index: | 01 | PS Revision: | 02 |
| Subject: | EMC Wandler | | | | |

| - | · · · · · | | | | | | | |
|--|---|----------------------------------|--------------------------|--|--|--|--|--|
| 1. Mechanical Outline | | | | | | | | |
| Nominal equivalent round | | | | | | | | |
| core: | | | | | | | | |
| | | Marking | | | | | | |
| 100 x 80 x 30 | | <u> </u> | A | | | | | |
| Finished product dimensions : | | | l İ | | | | | |
| OD ≤ 130,0 (OD1) / 66,0 (OD2 | | ····- | | | | | | |
| ID ≥ 94,0 (ID1) / 30,0 (ID2) | $ / \chi R_1 \rangle$ | | | | | | | |
| H ≤ 37,0 | | <u>.)</u> | D2 | | | | | |
| [dimensions] = mm | | | | | | | | |
| | | | | | | | | |
| R1 = 32,9 | | | | | | | | |
| R2 = 14,9 | | | | | | | | |
| | | | | | | | | |
| | IDA | + | | | | | | |
| | ID1 | | H | | | | | |
| | OD1 | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| 2. Core data (nominal values) | | | | | | | | |
| Core material: | NANOPERM® $L_{fe} = 28,16 \text{ cm}$ A_{fe} | = 2,25 cm ² | | | | | | |
| | | | | | | | | |
| Permeability level : | @ frequency @ | H peak | | | | | | |
| | ~ 2000 10 kHz 3,0 | mA/cm | | | | | | |
| 3. Inspection values (at room | temperature, unless otherwise stated) | | | | | | | |
| Measured value | Measurement limits | Frequency | leff x N [mA x turn] | | | | | |
| AL [µH] | 1,41- 2,81 | 10 kHz | 60 | | | | | |
| AL [µH] | 1,41 - NA | 100 kHz | 60 | | | | | |
| | 1,41 - NA | 100 KH2 | 80 | | | | | |
| 4. Core finishing | | | | | | | | |
| Type: Cased | | | | | | | | |
| Marking: MAGNETEC | M-1282-01 YM (YM = Year/Month), acc. to IEC | 60062 6.1 1 | | | | | | |
| | ayer; 2 layers per carton box; $PU = 12 \text{ pcs.}$ | | | | | | | |
| | | | | | | | | |
| 5. Comments | | | | | | | | |
| | .de/fileadmin/pdf/pb_ds.pdf_for further inform | nation. | | | | | | |
| Visit <u>http://www.magnetec.</u> | | Index / Revision Alteration Date | | | | | | |
| | | | Date | | | | | |
| | | | Date 11.04.2019 | | | | | |
| Index / RevisionAlteration01 / 01First issue | value correction | | | | | | | |
| Index / RevisionAlteration01 / 01First issue01 / 02Inspection | value correction | | 11.04.2019 15.05.2019 | | | | | |
| Index / Revision Alteration 01 / 01 First issue 01 / 02 Inspection Created: J. Tótik | value correction Approved Z. Palánki Approved C | 5. Zsák Relea | 11.04.2019 15.05.2019 | | | | | |

CONFIDENTIAL - Reproduction, publication and dissemination of this publication, enclosures hereto and the information contained therein is prohibited without MAGNETEC's prior written consent. Disclosing the specification to third parties or using its content without written permission from MAGNETEC is strictly forbidden and every offender is liable to pay the corresponding damages.