

CONFIDENTIAL - Reproduction, publication and dissemination of this publication, enclosures hereto and the information contained therein is prohibited without MAGNETEC's prior written consent.

Client:	MAGNETEC GmbH	Magnetec P/N:	M-455		
Client's P/N:	/	PS Index:	01	PS Revision:	03
Subject:	EMC Wandler				

1. Mechanical Outline

Nominal equivalent round core:

130 x 100 x 30


Finished product dimensions:

OD \leq 135,0

ID \geq 94,0

H \leq 34,0

[dimensions] = mm



2. Core data (nominal values)

Core material:	NANOPERM®	$L_{Fe} = 35,92 \text{ cm}$	$A_{Fe} = 3,33 \text{ cm}^2$
Permeability level:	8.000	@ frequency 10 kHz	@ H peak 3 mA/cm

3. Inspection values (at room temperature, unless otherwise stated)

Measured value	Measurement limits	Frequency	$I_{eff} \times N$ [mA x turn]
AL [μ H]	6,53 - 13,04	10 kHz	76
AL [μ H]	5,55 - 11,08	100 kHz	76

4. Core finishing

Type:	Cased
Marking:	MAGNETEC M-455-01 YM
Packaging:	2 pcs. per layer; 2 layers per carton box; PU = 4 pcs.

5. Comments

Visit http://www.magnetec.de/fileadmin/pdf/pb_ds.pdf for further information.

Index / Revision	Alteration	Date
01 / 01	Product Specification	22.01.2008
01 / 02	AL limit and working point change	11.02.2008
01 / 03	Harmonization of part and finished product dimensions	09.01.2020

Created:	Z. Braxátor	Approved (Techn):	F. Zámboreszky	Approved (Quality):	G. Zsák	Released:	B. Kessler
	09.01.2020		09.01.2020		09.01.2020		09.01.2020

CONFIDENTIAL - Reproduction, publication and dissemination of this publication, enclosures hereto and the information contained therein is prohibited without MAGNETEC's prior written consent. Disclosing the specification to third parties or using its content without written permission from MAGNETEC is strictly forbidden and every offender is liable to pay the corresponding damages.