

CONFIDENTIAL - Reproduction, publication and dissemination of this publication, enclosures hereto and the information contained therein is prohibited without MAGNETEC's prior written consent.

Client:	MAGNETEC	Magnetec P/N:	M-3156		
Client's P/N:		PS Index:	03	PS Revision:	02
Subject:	EMC Wandler				

1. Mechanical Outline

Nominal equivalent round core:

25 x 20 x 10


Finished product dimensions:

OD \leq **28.8**

ID \geq **16.8**

H \leq **13.4**

[dimensions] = mm



2. Core data (nominal values)

Core material:	NANOPERM®	$L_{Fe} = 7.06 \text{ cm}$	$A_{Fe} = 0.2 \text{ cm}^2$
Permeability level:	120 000	@ frequency 10 kHz	@ H peak

3. Inspection values (at room temperature, unless otherwise stated)

Measured value	Measurement limits	Frequency	I _{eff} x N [mA x turn]
AL[μH]	30.0 - 53.0	10kHz	0.3V, Ls, RT
AL[μH]	5.0 - NA	100kHz	0.3V, Ls, RT

4. Core finishing

Type:	Cased
Marking:	
Packaging:	69 pcs. per layer; 6 layers per carton box; PU = 414 pcs.

5. Comments

Visit http://www.magnetec.de/fileadmin/pdf/pb_ds.pdf for further information.

Index / Revision	Alteration	Date
03/02	Revise case dimensions and AL at 10kHz	02.04.2022
03/01	Revise case dimensions	17.04.2015
02/01	Revise case dimensions	08.04.2013
01/01	Create	24.06.2011

Created:	San Yusen Zhou 02.04.2022	Approved (Techn):	P. Seiz 23.06.2022	Approved (Quality):	Jacky Jianning Chen 23.06.2022	Released:	San Yusen Zhou 23.06.2022
-----------------	------------------------------	--------------------------	-----------------------	----------------------------	-----------------------------------	------------------	------------------------------

CONFIDENTIAL - Reproduction, publication and dissemination of this publication, enclosures hereto and the information contained therein is prohibited without MAGNETEC's prior written consent. Disclosing the specification to third parties or using its content without written permission from MAGNETEC is strictly forbidden and every offender is liable to pay the corresponding damages.