

FORM Identifier: F 108 Revision: 04 Page: 1/1	Product specification for inductive components	MAGNETEC GmbH Industriestrasse 7 D-63505 Langenselbold
---	---	---



Client:	MAGNETEC GmbH	Magnetec P/N:	M-335	Magnetec A/N:	12368
Client's P/N:	/	PS Index:	02	PS Revision:	03
Subject:	EMC Wandler			Type:	E

1. Mechanical Outline	
Nominal core dimensions: 70,0 x 65,0 x 5,0 Finished product dimensions: OD \leq 72,0 ID \geq 61,4 H \leq 7,5 [dimensions] = mm	

2. Core data (nominal values)			
Core material:	NANOPERM®	$L_{Fe} = 21,20 \text{ cm}$	$A_{Fe} = 0,09 \text{ cm}^2$
Permeability level:	30 000	@ frequency 10 kHz	@ H peak 3,30 mA/cm

3. Inspection values				
	Measured value	Measurement limits	Frequency	leff x N [mA x turn]
	AL [μ H]	1,1 - 2,3	10 kHz	50
	AL [μ H]	0,55 - NA	100 kHz	50

4. Core finishing	
Type:	Cased
Marking:	MAGNETEC M-335-02 YM (YM = Year/Month), acc. to IEC 60062 6.1.1
Packaging:	8 pcs. per layer; 10 layers per carton box ; PU = 80 pcs.

5. Comments:	

Index / Revision	Alteration	Date
02 / 01	Product specification	06.10.2006
02 / 02	PU= 80 pcs	07.11.2006
02 / 03	100 kHz AL limit added	25.07.2014

Created:	Z. Palánki	Approved (Techn):	F. Záborszky	Approved (Quality):	J. Gulyás	Released:	T. Trupp
	25.07.2014		31.07.2014		31.07.2014		31.07.2014