

FORM F 108  
Revision: 05  
Page: 1/1

Product specification  
for inductive components

MAGNETEC GmbH  
Industriestrasse 7  
D-63505 Langenselbold

Client:	MAGNETEC	Magnetec P/N:	M-883	Magnetec A/N:	12685
Client's P/N:	/	PS Index:	02	PS Revision:	03
Subject:	EMC Wandler				

1. Mechanical Outline

Nominal equivalent round core:

300 x 250 x 30


Finished product dimensions:

OD  $\leq$  392 (OD1) / 160 (OD2)

ID  $\geq$  326 (ID1) / 93 (ID2)

H  $\leq$  37

[dimensions] = mm



2. Core data (nominal values)

Core material:	NANOPERM®	$L_{Fe} = 87,1 \text{ cm}$	$A_{Fe} = 5,2 \text{ cm}^2$
Permeability level:	4 000	@ frequency 10 kHz	@ H peak 3,14 mA/cm

3. Inspection values (at room temperature, unless otherwise stated)

Measured value	Measurement limits	Frequency	$l_{eff} \times N$ [mA x turn]
AL [ $\mu$ H]	2,23 - 4,45	10 kHz	185
AL [ $\mu$ H]	2,23 - NA	100 kHz	185

4. Core finishing

Type:	Cased
Marking:	MAGNETEC M-883-02 YM (YM = Year/Month), acc. to IEC 60062 6.1.1
Packaging:	1 pcs. per layer; 5 layers per carton box; PU = 5 pcs.

5. Comments

Visit [http://www.magnetec.de/fileadmin/pdf/pb\\_ds.pdf](http://www.magnetec.de/fileadmin/pdf/pb_ds.pdf) for further information.

Index / Revision	Alteration	Date
02 / 01	Product specification	03.07.2014
02 / 02	Product height revision (from 36mm to 37mm)	15.07.2014
02 / 03	ID2 change from 94mm to 93mm	13.09.2019

Created:	J. Tótk 13.09.2019	Approved (Techn):	F. Záborszky 11.10.2019	Approved (Quality):	Sz. Ilcsik 09.10.2019	Released:	B. Kessler 22.10.2019
----------	-----------------------	-------------------	----------------------------	---------------------	--------------------------	-----------	--------------------------

Disclosing the specification to third parties or using its content without written permission from MAGNETEC is strictly forbidden and every offender is liable to pay the corresponding damages