

FORM F 108  
Revision: 05  
Page: /1

Product specification  
for inductive components

MAGNETEC GmbH  
Industriestrasse 7  
D-63505 Langenselbold

Client:	MAGNETEC GmbH	Magnetec P/N:	M-533	Magnetec A/N:	12399
Client's P/N:	/	PS Index:	01	PS Revision:	02
Subject:	EMC WANDLER				

1. Mechanical Outline

<p>Nominal equivalent round core: <b>40 x 32 x 15</b></p> <p>Finished product dimensions: OD <math>\leq</math> 43,1 ID <math>\geq</math> 28,8 H <math>\leq</math> 17,3</p> <p>[dimensions] = mm</p>	
---	--

2. Core data (nominal values)

Core material:	NANOPERM®	$L_{Fe} = 11,26 \text{ cm}$	$A_{Fe} = 0,48 \text{ cm}^2$
Permeability level:	~20.000	@ frequency 100 kHz	@ H peak 3,14 mA/cm

3. Inspection values (at room temperature, unless otherwise stated)

Measured value	Measurement limits	Frequency	leff x N [mA x turn]
AL [ $\mu$ H]	7,0 - 11,5	100 kHz	25

4. Core finishing

Type:	Cased
Marking:	MAGNETEC M-533-01 YM
Packaging:	24 pcs. per layer; 5 layers per carton box; PU = 120 pcs.

5. Comments

Visit [http://www.magnetec.de/fileadmin/pdf/pb\\_ds.pdf](http://www.magnetec.de/fileadmin/pdf/pb_ds.pdf) for further information.

Index / Revision	Alteration	Date
01S / 01	Sample	26.06.2007
01 / 01	Product Specification	06.08.2007
01 / 02	Harmonization of part and finished product dimensions	13.01.2020

Created:	Z. Braxátor 13.01.2020	Approved (Techn):	Z. Makovinyi 13.01.2020	Approved (Quality):	G. Zsák 13.01.2020	Released:	B. Kessler 13.01.2020
----------	---------------------------	-------------------	----------------------------	---------------------	-----------------------	-----------	--------------------------

Disclosing the specification to third parties or using its content without written permission from MAGNETEC is strictly forbidden and every offender is liable to pay the corresponding damages